



Express Mail No. EV 335 855 652 US

#15
62403
10/2/03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Palazzini *et al.*

Confirmation No.: 4468

Serial No.: 09/873,234

Art Unit: 1623

Filed: June 4, 2001

Examiner: Patrick T. Lewis

For: METHODS AND
COMPOSITIONS USING
SULODEXIDE FOR THE
TREATMENT OF DIABETIC
NEPHROPATHY

Attorney Docket No: 9457-023

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop RCE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the continuing duty of disclosure imposed by 37 C.F.R. § 1.56 and § 1.97 to inform the Patent and Trademark Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicant hereby direct the Examiner's attention to references DG-DK listed on the attached revised form PTO 1449 entitled "List of References Cited by Applicant." Copies of references DG-DK are submitted herewith.

Identification of the listed references is not to be construed an admission of Applicant or Attorneys for Applicant that such references are available as "prior art" against the subject application.

Applicant respectfully requests that the Examiner review the foregoing references and that the references be made of record in the file history of the application.

Because this Information Disclosure Statement is being submitted with a Request for Continued Examination, no fee is believed due. However, if the U.S. Patent and

Trademark Office determined otherwise, please charge any required fee to Pennie & Edmonds LLP Deposit Account No. 16-1150. A copy of this sheet is enclosed for accounting purposes.

Respectfully submitted,

Date: June 17, 2003

Geraldine F. Baldwin 31,232
Geraldine F. Baldwin (Reg. No.)

By: William Thomann 40,203
William Thomann (Reg. No.)

PENNIE & EDMONDS LLP
1155 Avenue of the Americas
New York, New York 10036-2711
(212) 790-9090